# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024

Version 4.0. Supersedes version: 3.0 Page 1 / 17

rage 1/1/

SEC	ECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier		
		Engine Oil SAE 0W-30 D-FO Article number: 172202, 172203, 172204	
1.2	Relevant identified uses of the s	ubstance or mixture and uses advised against	
1.2.1	I Relevant uses		
		Engine oil	
1.2.2	2 Uses advised against		
		None known.	
1.3	Details of the supplier of the safe	ety data sheet	
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (English)	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance of	or mixture [REGULATION (GB) CLP]	
		No classification.	
2.2	Label elements		
		The product is required to be labelled in accordance with regulation CLP.	
	Hazard pictograms	none	
	Signal word	none	
	Hazard statements	none	
	Precautionary statements	none	
	Special labelling	EUH210 Safety data sheet available on request.	
		Contains: C14-16-18 Alkyl phenol. EUH208 May produce an allergic reaction.	
2.3	Other hazards		
	Physico-chemical hazards	No particular hazards known.	
	Human health dangers	Frequent persistent contact with the skin can cause skin irritation.	
	Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.	
	Other hazards	Further hazards were not determined with the current level of knowledge.	
SEC	TION 3: Composition / Informatio	n on ingredients	
3.1	Substances		

not applicable

## Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0 Page 2 / 17

### 3.2 Mixtures

### The product is a mixture.

Range [%]	Substance		
50 - < 100	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)		
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX		
	GHS/CLP: Asp. Tox. 1: H304		
1 - < 10	Paraffin oils (petroleum), catalytic dewaxed heavy		
	CAS: 64742-70-7, EINECS/ELINCS: 265-174-4, EU-INDEX: 649-477-00-2, Reg-No.: 01-2119487080-42-XXXX		
	GHS/CLP: Asp. Tox. 1: H304		
1 - < 10	Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt)		
	CAS: 64742-65-0, EINECS/ELINCS: 265-169-7, Reg-No.: 01-2119471299-27-XXXX		
	GHS/CLP: Asp. Tox. 1: H304		
1 - < 10	Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract)		
	CAS: 64742-56-9, EINECS/ELINCS: 265-159-2, EU-INDEX: 649-469-00-9, Reg-No.: 01-2119480132-48-XXXX		
	GHS/CLP: Asp. Tox. 1: H304		
1 - < 10	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract)		
	CAS: 72623-86-0, EINECS/ELINCS: 276-737-9, EU-INDEX: 649-221-00-X, Reg-No.: 01-2119474878-16-XXXX		
	GHS/CLP: Asp. Tox. 1: H304		
1 - < 10	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based		
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX		
	GHS/CLP: Asp. Tox. 1: H304		
1 - < 5	C14-16-18 Alkyl phenol		
	CAS: 1190625-94-5, EINECS/ELINCS: 931-468-2, Reg-No.: 01-2119498288-19		
	GHS/CLP: Skin Sens. 1: H317 - STOT RE 2: H373		
1 - < 5	Bis(nonylphenyl)amine		
	CAS: 36878-20-3, EINECS/ELINCS: 253-249-4, Reg-No.: 01-2119488911-28-XXXX		
	GHS/CLP: Aquatic Chronic 4: H413		
Comment on c	component parts For full text of H-statements and R-phrases: see SECTION 16.		
	All chemical substances in this material are included on or exempted from listing on the		

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures **General information** Change soaked clothing. Inhalation Ensure supply of fresh air. In the event of symptoms seek medical treatment. Skin contact In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists. Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Ingestion Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.

Contains less than 3% w/w DMSO-extract (only for mineral oils)

### 4.2 Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of product entering the lungs.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**IECSC** Inventory.

Treat symptomatically. Forward this sheet to your doctor.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0 Page 3 / 17

SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide
	Extinguishing media that must not be used	Full water jet.
5.2	Special hazards arising from the	substance or mixture
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx). Hydrogen sulfide ((H2S).
5.3	Advice for firefighters	
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measu	res
6.1	Personal precautions, protective	equipment and emergency procedures
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for contain	nment and cleaning up
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		Avoid formation of aerosols.
		Do not smoke.
		Wash hands before breaks and after work. Do not eat, drink or smoke when using this product. Use barrier skin cream. Take off contaminated clothing and wash before reuse. Cloths contaminated with product should not be kept in trouser pockets.
7.2	Conditions for safe storage, inclu	uding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with oxidizing agents. Do not store together with food and animal food/diet.
		Keep container tightly closed. Protect from heat/overheating.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0 Page 4 / 17

7.3 Specific end use(s)

See product use, SECTION 1.2

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0

Page 5 / 17

## **SECTION 8: Exposure controls / personal protection**

## 8.1 Control parameters

### Ingredients with occupational exposure limits to be monitored (UK)

Substance	
Destillates (petrole	eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
CAS: 64742-54-7,	EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
Long-term exposu	re: 5 mg/m³, oil mist
Short-term exposu	ire (15-minute): 10 mg/m <sup>3</sup>
Distillates (petroleu	um), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract)
CAS: 64742-56-9,	EINECS/ELINCS: 265-159-2, EU-INDEX: 649-469-00-9, Reg-No.: 01-2119480132-48-XXXX
Long-term exposu	re: 1200 mg/m <sup>3</sup>

#### Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

is(nonylphenyl)amine, CAS: 36878-20-3 idustrial, dermal, Long-term - systemic effects, 5 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day peneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> peneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day postillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 industrial, inhalative, Long-term - systemic effects, 0,37 mg/m <sup>3</sup> industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day peneral population, oral, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 60 industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 5.58 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 740 µg/kg bw/day peneral population, inhalative, Long-term - local effects, 740 µg/kg bw/day peneral population, inhalative, Long-term - local effects, 740 µg/kg bw/day peneral population, inhalative		
Adustrial, dermal, Long-term - systemic effects, 5 mg/kg bw/day reneral population, dermal, Long-term - systemic effects, 2,5 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day reneral population, inhalative, Long-term - local effects, 7.10 µg/kg bw/day peneral population, oral, Long-term - systemic effects, 7.10 µg/kg bw/day Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 ndustrial, inhalative, Long-term - systemic effects, 0.97 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0.74 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0.74 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0.74 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0.74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 ndustrial, inhalative, Long-term - systemic effects, 0.74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 ndustrial, inhalative, Long-term - systemic effects, 9.70 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 60 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 5.740 µg/kg bw/day peneral population, oral, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 740 µg/kg bw/day peneral population, inhalative,	Substance	
eneral population, dermal, Long-term - systemic effects, 2,5 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, dermal, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> general population, oral, Long-term - systemic effects, 740 µg/kg bw/day bistillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 0,97 mg/kg bw/day general population, oral, Long-term - systemic effects, 0,97 mg/kg bw/day general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 5,58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - local effects, 740 µg/kg bw/day general population, oral, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 60 ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day general population, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - local effects, 740 µg/kg bw/day general population, oral, L		
eneral population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day pestillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 ndustrial, inhalative, Long-term - local effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day peneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> peneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day peneral population, oral, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 0,97 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,97 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,97 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,97 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,97 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day peneral population, oral, Long-term - local effects, 740 µg/kg bw/day peneral population, oral, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day peneral population, oral, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day peneral population, inhalative, Long-term - local effects, 740 µg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 µ	Industrial, dermal, Long-term - systemic effects, 5 mg/kg bw/day	
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dernal, Long-term - systemic effects, 970 µg/kg bw/day leneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> leneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extract), CAS: 64742-65-0 industrial, inhalative, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 industrial, inhalative, Long-term - systemic effects, 9.70 µg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 industrial, inhalative, Long-term - systemic effects, 9.73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> industrial, dermal, Long-term - systemic effects, 9.70 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 9.70 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - systemic effects, 1.19 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 740 µg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.	general population, dermal, Long-term - systemic effects, 2,5 mg/kg bw/day	
ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day eneral population, inhalative, Long-term - local effects, 740 µg/kg bw/day ieneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 0,97 mg/kg bw/day ieneral population, oral, Long-term - systemic effects, 0,97 mg/kg bw/day ieneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day ieneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day ieneral population, oral, Long-term - local effects, 740 µg/kg bw/day ieneral population, oral, Long-term - local effects, 740 µg/kg bw/day iubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - local effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 740 µg/kg bw/day ieneral population, oral, Long-term - local effects, 1.19 mg/m <sup>3</sup> ieneral population, inhalative, Long-term - local effects, 740 µg/kg bw/day ieneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day ieneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day ieneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day	general population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day	
ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day leneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> leneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 0,97 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 industrial, inhalative, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - local effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day peneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> peneral population, inhalative, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64	742-54-7
ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day eneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> eneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 0,97 mg/kg bw/day general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 5,58 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 970 µg/kg bw/day eneral population, oral, Long-term - local effects, 740 µg/kg bw/day eneral population, oral, Long-term - local effects, 740 µg/kg bw/day eneral population, oral, Long-term - local effects, 740 µg/kg bw/day eneral population, oral, Long-term - local effects, 2.73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5.78 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5.78 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5.78 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day eneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> eneral population, inhalative, Long-term - systemic effects, 740 µg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	
eneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> eneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day eneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> industrial, dermal, Long-term - local effects, 740 μg/kg bw/day eneral population, oral, Long-term - local effects, 740 μg/kg bw/day eneral population, oral, Long-term - local effects, 740 μg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 industrial, inhalative, Long-term - local effects, 2.73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 740 μg/kg bw/day eneral population, inhalative, Long-term - local effects, 740 μg/kg bw/day eneral population, inhalative, Long-term - systemic effects, 740 μg/kg bw/day eneral population, inhalative, Long-term - systemic effects, 740 μg/kg bw/day utricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>	
in the systemic effects, 740 μg/kg bw/day Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 970 μg/kg bw/day general population, oral, Long-term - local effects, 740 μg/kg bw/day general population, oral, Long-term - local effects, 740 μg/kg bw/day general population, oral, Long-term - local effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 1,19 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 1,19 mg/m <sup>3</sup> industrial, dermal, Long-term - systemic effects, 740 μg/kg bw/day inteneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day intereal population, oral, Long-term - systemic effects, 740 μg/kg bw/day intereal population, oral, Long-term - systemic effects, 740 μg/kg bw/day intereal population, oral, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> intereal population, oral, Long-term - systemic effects, 2,73 mg/m <sup>3</sup>	Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day	
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 740 µg/kg bw/day peneral population, oral, Long-term - local effects, 740 µg/kg bw/day peneral population, oral, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day peneral population, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day peneral population, inhalative, Long-term - local effects, 740 µg/kg bw/day peneral population, inhalative, Long-term - local effects, 740 µg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day peneral population, oral, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> peneral population, oral, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> peneral population, oral, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> peneral population, oral, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> peneral population, oral, Long-term	general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>	
ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 970 µg/kg bw/day general population, oral, Long-term - local effects, 740 µg/kg bw/day general population, oral, Long-term - local effects, 740 µg/kg bw/day general population, oral, Long-term - local effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - systemic effects, 970 µg/kg bw/day general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> general population, inhalative, Long-term - local effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	general population, oral, Long-term - systemic effects, 740 µg/kg bw/day	
ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 970 µg/kg bw/day general population, oral, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 16-0 industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> industrial, inhalative, Long-term - systemic effects, 5.58 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 1.73 mg/m <sup>3</sup> industrial, inhalative, Long-term - local effects, 970 µg/kg bw/day general population, inhalative, Long-term - local effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 1.19 mg/m <sup>3</sup> general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day iubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 6	34742-56-9
ndustrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day peneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> Industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> Industrial, dermal, Long-term - local effects, 970 µg/kg bw/day peneral population, oral, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> Industrial, inhalative, Long-term - local effects, 1.73 mg/m <sup>3</sup> Industrial, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> peneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup>	
peneral population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> Industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day peneral population, oral, Long-term - local effects, 740 μg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> Industrial, inhalative, Long-term - systemic effects, 970 μg/kg bw/day peneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> peneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day peneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day peneral population, oral, Long-term - systemic effects, 72623-87-1 Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup>	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day general population, oral, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 970 µg/kg bw/day general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - local effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 1.19 mg/m <sup>3</sup> general population, oral, Long-term - systemic effects, 740 µg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day	
ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day general population, oral, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> general population, oral, Long-term - systemic effects, 740 µg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day	
ndustrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day general population, oral, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - local effects, 970 µg/kg bw/day general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> general population, inhalative, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day general population, oral, Long-term - systemic effects, 740 µg/kg bw/day ndustrial, inhalative, Long-term - systemic effects, 740 µg/kg bw/day	Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65	-0
ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day jeneral population, oral, Long-term - local effects, 740 µg/kg bw/day ubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 66-0 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - local effects, 970 µg/kg bw/day jeneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> jeneral population, oral, Long-term - systemic effects, 740 µg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m <sup>3</sup>	
Jeneral population, oral, Long-term - local effects, 740 μg/kg bw/day Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 16-0 Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day Jeneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> Jeneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, inhalative, Long-term - local effects, 5,58 mg/m <sup>3</sup>	
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 6-0 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup> ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> general population, oral, Long-term - systemic effects, 740 μg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day	
86-0         ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m³         ndustrial, inhalative, Long-term - local effects, 5.58 mg/m³         ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day         general population, inhalative, Long-term - local effects, 1.19 mg/m³         general population, oral, Long-term - systemic effects, 740 µg/kg bw/day         ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1         ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m³	general population, oral, Long-term - local effects, 740 µg/kg bw/day	
ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup> ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> general population, oral, Long-term - systemic effects, 740 µg/kg bw/day cubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-ext 86-0	ract), CAS: 72623-
ndustrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> general population, oral, Long-term - systemic effects, 740 µg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	
peneral population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup> peneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>	
eneral population, oral, Long-term - systemic effects, 740 μg/kg bw/day ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day	
ubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1 ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>	
ndustrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	general population, oral, Long-term - systemic effects, 740 µg/kg bw/day	
	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
ndustrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>	Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>	
	Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>	

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0 Pag

Page 6 / 17

Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>
general population, inhalative, Long-term - systemic effects, 740 μg/kg bw/day
C14-16-18 Alkyl phenol, CAS: 1190625-94-5
Industrial, inhalative, Long-term - systemic effects, 1.17 mg/m <sup>3</sup> (AF= 75)
Industrial, dermal, Long-term - systemic effects, 0.3 mg/kg bw/d (AF= 300)
Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 740 μg/kg bw/day

## PNEC

Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
freshwater, 412 µg/L
seawater, 41.2 µg/L
sediment (freshwater), 1 mg/kg sediment dw
sediment (seawater), 0.1 mg/kg sediment dw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
oral (food), 9,33 mg/kg food
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
oral (food), 9,33 mg/kg food
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0
oral (food), 9.33 mg/kg food
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9.33 mg/kg food
C14-16-18 Alkyl phenol, CAS: 1190625-94-5
freshwater, 0.1 mg/L (AF= 1000)
seawater, 0.01 mg/L (AF= 10 000)
sewage treatment plants (STP), 100 mg/L (AF= 10)
sediment (freshwater), 4 266.16 mg/kg dw
sediment (seawater), 426.62 mg/kg dw
soil, 852.58 mg/kg dw
Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7
oral (food), 9.33 mg/kg food

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0

Page 7 / 17

## 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,11 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	dark yellow
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	No information available.
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	228
Flammability	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	ca. 0.84 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	45.78 mm²/s (40°C)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0 Page 8 / 17

9.2 Other information

No information available.

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

### 10.4 Conditions to avoid

No special measures necessary.

### 10.5 Incompatible materials

Oxidizing agent Acids Strong basic compounds

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024

Version 4.0. Supersedes version: 3.0 Page 9 / 17

**SECTION 11: Toxicological information** 

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled.
Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
LD50, oral, Rat, 5000 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
LD50, oral, Rat, >5000 mg/kg bw (OECD 401)
NOAEL, oral, Rat, >1000 mg/kg bw (OECD 421)
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LD50, oral, Rat, 5000 mg/kg bw
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0
LD50, oral, Rat, 5000 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, oral, Rat, 5000 mg/kg bw
C14-16-18 Alkyl phenol, CAS: 1190625-94-5
LD50, oral, Rat, > 2000 mg/kg bw
Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7
LD50, oral, Rat, >5000 mg/kg bw
LOAEL, oral, Rat, 125 mg/kg bw/day

#### Acute dermal toxicity

#### Product

dermal, Based on the available information, the classification criteria are not fulfilled.

## Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit, 2000 - 5 00 mg/kg bw

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

LD50, dermal, Rabbit, >5000 mg/kg bw (OECD 403)

NOAEL, dermal, Rat, >2000 mg/kg bw (OECD 414)

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

LD50, dermal, Rabbit, > 2000 - 5000 mg/kg bw

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

C14-16-18 Alkyl phenol, CAS: 1190625-94-5

LD50, dermal, Rat, > 2000 mg/kg bw

Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7

LD10, dermal, Rabbit, >2000 mg/kg bw



Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0 Page 10 / 17

NOAEL, dermal, Rabbit, >1000 mg/kg bw/day

#### Acute inhalational toxicity

### Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9 LC50, inhalative, Rat, >5,53 mg/l air (OECD 403)

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

LC50, inhalative, Rat, 2,18 - 5,53 mg/L air 4h, 4h

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7

LC50, inhalative, Rat, 18 - 5.53 mg/L air, 4h

NOAEC, inhalative, Rat, 980 mg/m<sup>3</sup> air

#### Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
Eye, non-irritating
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
Eye, non-irritating
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0
Eye, non-irritating

#### Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

 Substance

 Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9</td>

 dermal, non-irritating

 Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0</td>

 dermal, non-irritating

 Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623-86-0</td>

dermal, non-irritating

## Respiratory or skin sensitisation

Non-sensitizing. On basis of test data May produce an allergic reaction.

Product

dermal, negativ

#### Substance

Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024

Version 4.0. Supersedes version: 3.0 Page 11 / 17

dermal, non-sensitizing
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
dermal, non-sensitizing
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0
dermal, non-sensitizing

**Specific target organ toxicity** — Based on the available information, the classification criteria are not fulfilled. **single exposure** 

**Specific target organ toxicity** — Based on the available information, the classification criteria are not fulfilled. **repeated exposure** 

Sub	stance
Bis(	nonylphenyl)amine, CAS: 36878-20-3
NO	EL, oral, Rat, 100 mg/kg bw/day
Des	tillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NO	AEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NO	AEL, dermal, Rabbit, 1000 mg/kg bw/day
NO	AEC, inhalative, Rat, 980 mg/m³ air
LOA	AEL, oral, Rat, 125 mg/kg bw/day
Dist	illates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
NO	AEC, inhalative, Rat, 980 mg/m <sup>3</sup> , no adverse effect observed
LOA	AEL, oral, Rat, 125 mg/kg bw/day, adverse effect observed
Dist	illates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NO	AEL, inhalative, Rat, 980 mg/m <sup>3</sup> air, no adverse effect observed
LOA	AEL, dermal, mouse, 100 mg/kg bw/day, The effects observed are not sufficient for classification.
LOA	AEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.
Lub 86-0	ricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623
NO	AEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NO	AEC, inhalative, Rat, 980 mg/m³ air
LOA	AEL, oral, Rat, 125 mg/kg bw/day
Lub	ricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NO	AEL, dermal, Rat, 30 - 2000 mg/kg bw/day
NO	AEC, inhalative, Rat, 980 mg/m³ air
LO	AEL, oral, Rat, 125 mg/kg bw/day

### Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
in vitro, negativ
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
in vitro, negativ
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0
in vitro, negativ

### **Reproduction toxicity**

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024

Version 4.0. Supersedes version: 3.0 Page 12 / 17

		NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed		
		Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9		
		NOAEL, oral, Rat, 1000 mg/kg bw/day, In vivo study, negativ		
		Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0		
		NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed		
		Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0		
		NOAEL, oral, Rat, 1000 mg/kg bw/day		
	- Development			
		Substance		
		Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7		
		NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed		
		Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9		
		NOAEL, oral, Rat, 1	000 mg/kg bw/day, In vivo study, negativ	
	Carcinogenicity		Based on the available information, the classification criteria are not fulfilled.	
	Aspiration hazard		Based on the available information, the classification criteria are not fulfilled.	
	General remarks			
			Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.	
11.2	Information on c	other hazards		
	11.2.1 Endocrine of properties	lisrupting	Contains no ingredients with endocrine-disrupting properties.	
	11.2.2 Other inform	nation	none	

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0 Page 13 / 17

**SECTION 12: Ecological information** 

## 12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
EC50, (48h), Invertebrates, 100 mg/L
EL50, (72h), Algae, 100 mg/L
NOELR, (21d), Invertebrates, 4.45 mg/L
NOELR, (33d), fish, 10 mg/L
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (48h), Invertebrates, 10 g/L
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Distillates (petroleum), solvent-dewaxed light paraffinic (containing < 3% DMSO-extract), CAS: 64742-56-9
EL50, (24h), Daphnia magna, >10000 mg/l (OECD 202)
LL50, (96h), Pimephales promelas, >100 mg/l (OECD 203)
NOEL, (21d), Daphnia magna, 10 mg/l (OECD 211)
NOEL, (72h), Pseudokirchneriella subcapitata, >100 mg/l (OECD 201)
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NOELR, (14d), fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (containing < 3% DMSO-extract), CAS: 72623- 86-0
NOELR, (14d), fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOELR, (14d), fish, 1 g/L
LL50, (4d), Invertebrates, 10 g/L
LL50, (4d), fish, 100 mg/L
C14-16-18 Alkyl phenol, CAS: 1190625-94-5
LC50, (96h), Cyprinus carpio, 100 mg/L
EC50, (48h), Daphnia magna, 100 mg/L
EC50, (72h), Pseudokirchneriella subcapitata, 100 mg/L
Paraffin oils (petroleum), catalytic dewaxed heavy, CAS: 64742-70-7
NOELR, (14d), fish, 1 mg/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0 Page 14 / 17

#### 12.2 Persistence and degradability

Behaviour in environment compartments	
Behaviour in sewage plant	Can be separated out mechanically in purification plants.
Biological degradability	The product is not readily biodegradable.

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

### 12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

	Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities. In according to RoHS!
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances

# Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0 Page 15 / 17

SEC	TION 14: Transport information	
14.1	UN number or ID number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable

## Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024



Version 4.0. Supersedes version: 3.0 Page 16 / 17

14.5	Environmental hazards Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	

Relevant information under SECTION 6 to 8.

## 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture		
EEC-REGULATIONS	2008/98/EG (2000/532/EC ); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707	
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.	
- Annex I (REACH)	The product is not subject to Annex I restrictions.	
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\ge 0.1\%$ that are subject to authorisation.	
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75	
	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.	
TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)	
NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.	
- VOC (2010/75/CE)	not relevant	
15.2 Chemical safety assessment		

not applicable

### **SECTION 16: Other information**

#### 16.1 Hazard statements (SECTION 3)

H413 May cause long lasting harmful effects to aquatic life. H373 May cause damage to organs through prolonged or repeated exposure. H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

## Ferdinand Bilstein GmbH + Co. KG

Date printed 17.04.2024, Revision 17.04.2024

Version 4.0. Supersedes version: 3.0 Page 17 / 17

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

**Classification procedure** 

Modified position

3.2