Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 1 / 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

hydraulic fluid

Article number: 21647

1.2 Relevant identified uses of the substance or mixture and uses advised against

1 2 1 Relevant uses

Hydraulics oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H332 Harmful if inhaled.

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Hazard pictograms

The product is required to be labelled in accordance with regulation CLP.

<u>(i)</u>



Signal word DANGER

Contains: 1-Decene, Dimer, hydrogenated

Hazard statements H332 Harmful if inhaled.

H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.

P312 Call a POISON CENTER / doctor if you feel unwell.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

Special labelling Contains: Methyl methacrylate. EUH208 May produce an allergic reaction.

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 2 / 16

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Environmental hazards Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
50 - < 99	1-Decene, Dimer, hydrogenated
	CAS: 68649-11-6, EINECS/ELINCS: 500-228-5, Reg-No.: 01-2119493069-28-XXXX
	GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304
10 - < 20	Distillates (petroleum), hydrotreated light naphthenic
	CAS: 64742-53-6, EINECS/ELINCS: 265-156-6, EU-INDEX: 649-466-00-2, Reg-No.: 01-2119480375-34
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 10	Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics
	CAS: 1174522-45-2, EINECS/ELINCS: 934-954-2, EU-INDEX: 649-422-00-2, Reg-No.: 01-2119826592-36-XXXX
	GHS/CLP: Asp. Tox. 1: H304
0,25 - < 1	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119565113-46-XXXX
	GHS/CLP: Aquatic Acute 1: H400 - Aquatic Chronic 1: H410,
	M-Factor (acute): 1, M-Factor (chronic): 1
0,1 - < 1	Methyl methacrylate
	CAS: 80-62-6, EINECS/ELINCS: 201-297-1, EU-INDEX: 607-035-00-6, Reg-No.: 01-2119452498-28-XXXX
	GHS/CLP: Flam. Liq. 2: H225 - STOT SE 3: H335 - Skin Irrit. 2: H315 - Skin Sens. 1: H317
	SCL [%]: >= 10: STOT SE 3: H335

Comment on component parts For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Consult a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms of poisoning may not occur for many hours, therefore keep under medical supervision for at least 48 hours.

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 3 / 16

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0

Page 4 / 16

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

7.3 Specific end use(s)

See product use, SECTION 1.2

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 5 / 16

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics

CAS: 1174522-45-2, EINECS/ELINCS: 934-954-2, EU-INDEX: 649-422-00-2, Reg-No.: 01-2119826592-36-XXXX

Long-term exposure: 1200 mg/m³

2,6-di-tert-butyl-p-cresol

CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119565113-46-XXXX

Long-term exposure: 10 mg/m³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance		
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6		
Industrial, inhalative, Long-term - local effects, 5,4 mg/m³		
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2		
There are no DNEL values established for the substance.		
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6		
Industrial, inhalative, Acute - systemic effects, 60 mg/m³		
general population, inhalative, Acute - systemic effects, 50 mg/m³		
Methyl methacrylate, CAS: 80-62-6		
Industrial, inhalative, Long-term - systemic effects, 348,4 mg/m³		
Industrial, inhalative, Long-term - local effects, 208 mg/m³		
Industrial, inhalative, Acute - local effects, 416 mg/m³		
Industrial, dermal, Long-term - systemic effects, 13,67 mg/kg bw/day		
Industrial, dermal, Long-term - local effects, 1,5 mg/cm²		
general population, inhalative, Long-term - systemic effects, 74,3 mg/m³		
general population, inhalative, Long-term - local effects, 104 mg/m³		
general population, dermal, Long-term - systemic effects, 8,2 mg/kg bw/day		
general population, dermal, Long-term - local effects, 1,5 mg/cm ²		
general population, oral, Long-term - systemic effects, 8,2 mg/kg bw/day		
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³		
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³		
Industrial, dermal, Long-term - systemic effects, 970 μg/kg bw/day		
general population, inhalative, Long-term - local effects, 1.19 mg/m³		
general population, inhalative, Long-term - systemic effects, 740 μg/kg bw/day		
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0		
Industrial, inhalative, Long-term - systemic effects, 1.76 mg/m³		
Industrial, dermal, Long-term - systemic effects, 500 μg/kg bw/day		
general population, inhalative, Long-term - systemic effects, 435 μg/m³		
general population, dermal, Long-term - systemic effects, 250 μg/kg bw/day		
general population, oral, Long-term - systemic effects, 250 μg/kg bw/day		

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024

Version 13.0. Supersedes version: 12.0

Page 6 / 16

Substance
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
There are no PNEC values established for the substance.
Methyl methacrylate, CAS: 80-62-6
sediment (seawater), 1,02 mg/kg sediment dw
soil, 1,48 mg/kg soil dw
freshwater, 0.94 mg/L
seawater, 0,094 mg/L
sewage treatment plants (STP), 10 mg/L
sediment (freshwater), 10,2 mg/kg sediment dw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9.33 mg/kg food
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
freshwater, 199 ng/L
seawater, 19.9 ng/L
sewage treatment plants (STP), 17 μg/L
sediment (freshwater), 458.19 µg/kg sediment dw
sediment (seawater), 45.82 µg/kg sediment dw
soil, 53.9 µg/kg soil dw
oral (food), 16.67 mg/kg food

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

General exposure limit for oil mist should be noted.

Eye protectionIf there is a risk of splashing: safety glasses (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0.4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0.4 mm; Neoprene, >480 min (EN 374-1/-2/-3).

Skin protection light protective clothing

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)

Thermal hazards none

Delimitation and monitoring of the environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024

Version 13.0. Supersedes version: 12.0 P

Page 7 / 16

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateliquidFormliquidColorgreenOdorcharacteristic

Odour threshold not relevant

pH-value not applicable

pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

No information available.

Flash point [°C] 160 (ISO 2592)

Flammability No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Oxidising properties no

Vapour pressure/gas pressure [kPa] No information available.

Density [g/cm³] 0,83 (DIN 51757) (15 °C / 59,0 °F)

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water immiscible

Solubility other solvents No information available.

Partition coefficient n-octanol/water No information available.

(log value)

Kinematic viscosity

Relative vapour density

Melting point [°C]

Auto-ignition temperature [°C]

Decomposition temperature [°C]

Particle characteristics

No information available.

No information available.

No information available.

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

Reactions with acids.

Reactions with strong alkalies.

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0

Page 8 / 16

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

10.5 Incompatible materials

Oxidizing agent Strong basic compounds Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 9 / 16

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute oral toxicity

Product

Substance

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

oral, Based on the available information, the classification criteria are not fulfilled.

LD50, oral, Rat, > 5000 mg/kg bw

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

LD50, oral, Rat, >5000 mg/kg bw, OECD 401

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

LD50, oral, Rat, > 5000 mg/l

Methyl methacrylate, CAS: 80-62-6

LD50, oral, Rat, 7900 mg/kg

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, oral, Rat, 5000 mg/kg bw

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

LD50, oral, Rat, 2930 - 6000 mg/kg bw

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

LD50, dermal, Rabbit, > 2000 mg/kg bw

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

LD50, dermal, Rabbit, 3160 mg/kg bw

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6

LD50, dermal, Rabbit, > 3000 mg/l

Methyl methacrylate, CAS: 80-62-6

LD50, dermal, Rabbit, > 5000 mg/kg

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

LD10, dermal, Rat, 2000 mg/kg bw

Acute inhalational toxicity

Product

ATE-mix, inhalativ (mist), 1,79 mg/l

Substance

Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6

LC50, inhalative, Rat, > 5,53 mg/l/4h (dust/mist)

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

LC50, inhalative, Rat, >5.266 mg/L

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 10 / 16

1-Decene, Dimer, hydrogenated, CAS: 68649-11-6	
LC50, inhalative, Rat, >1,81 mg/l 4h	
Methyl methacrylate, CAS: 80-62-6	
LC50, inhalative, Rat, 29,8 mg/l (4h)	
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1	
LC50 inhalative Rat 2.18 - 5.53 mg/l air 4h	

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

Methyl methacrylate, CAS: 80-62-6

Eye, non-irritating

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Substance

Methyl methacrylate, CAS: 80-62-6

dermal, irritant

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

May produce an allergic reaction.

Calculation method

Substance

Methyl methacrylate, CAS: 80-62-6

dermal, sensitising

inhalative, non-sensitizing

Specific target organ toxicity — Based on the available information, the classification criteria are not fulfilled. **single exposure**

Specific target organ toxicity — Based on the available information, the classification criteria are not fulfilled. repeated exposure

Substance

Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2

NOAEL, oral, Rat, 5000 mg/kg bw/day

NOAEC, inhalative, Rat, 10.4 mg/L air

Methyl methacrylate, CAS: 80-62-6

NOAEL, oral, Rat, 124 mg/kg bw/day

NOAEC, inhalative, Rat, 104 mg/m³

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1

NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m³ air

LOAEL, oral, Rat, 125 mg/kg bw/day

2,6-di-tert-butyl-p-cresol, CAS: 128-37-0

NOAEC, oral, Rat, 25 - 70 mg/kg bw/day

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance	
Methyl methacrylate, CAS: 80-62-6	
in vitro, negativ	
in vivo, negativ	

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 11 / 16

Based on the available information, the classification criteria are not fulfilled. Reproduction toxicity

- Fertility No information available.

- Development

Substance Methyl methacrylate, CAS: 80-62-6

NOAEL, oral, Rabbit, 450 mg/kg bw/day NOAEC, inhalative, Rat, 8300 mg/m³

Based on the available information, the classification criteria are not fulfilled. Carcinogenicity

Substance

Methyl methacrylate, CAS: 80-62-6 NOAEL, oral, Rat, 90,3 mg/kg bw/day

NOAEC, inhalative, Rat, 2050 mg/m³

Aspiration hazard Based on the available information, the classification criteria are fulfilled.

On basis of test data

General remarks

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

11.2.1 Endocrine disrupting

properties

Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 12 / 16

SECTION 12: Ecological information

12.1 Toxicity

Substance
Distillates (petroleum), hydrotreated light naphthenic, CAS: 64742-53-6
LC50, (96h), fish, > 100 mg/l
IC50, (48h), Algae, > 100 mg/l
Hydrocarbons, C13-C16, n-alkanes, isoalkanes, cyclics, <0,03% aromatics, CAS: 1174522-45-2
EC50, (72h), Algae, 10 g/L
NOELR, (28d), fish, 1 g/L
NOELR, (21d), Invertebrates, 1 g/L
LL50, (48h), Invertebrates, 3.193 g/L
LC100, (96h), fish, 1.028 g/L
1-Decene, Dimer, hydrogenated, CAS: 68649-11-6
EC50, (48h), Daphnia magna, > 1000 mg/l
EL50, (72h), Algae, >1000 mg/l
NOELR, (21d), Daphnia magna, 125 mg/l
LL50, (96h), Oncorhynchus mykiss, >1000 mg/l
Methyl methacrylate, CAS: 80-62-6
LC50, (96h), Oncorhynchus mykiss, > 79 mg/l OECD 203
EC50, (48h), Daphnia magna, 69 mg/l OECD 202
EC50, (72h), Selenastrum capricornutum, > 110 mg/l OECD 201
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOELR, (14d), fish, 1 g/L
LL50, (4d), Invertebrates, 10 g/L
LL50, (4d), fish, 100 mg/L
2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
LC50, (96h), fish, 199 - 570 μg/L
EC50, (4d), Algae, 758 μg/L
EC50, (48h), Invertebrates, 480 - 610 μg/L
NOEC, (21d), Invertebrates, 23 - 316 μg/L
NOEC, (45d), fish, 53 μg/L

12.2 Persistence and degradability

Behaviour in environment not determined

compartments

Behaviour in sewage plant not determined Biological degradability not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 13 / 16

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Coordinate disposal with the disposal contractor/authorities if necessary.

Dispose of as hazardous waste.

Waste no. (recommended)

130206* 130111*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with

IMDG

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

NO DANGEROUS GOODS Inland navigation (ADN)

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 14 / 16

14.3 Transport hazard class(es)

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID

Inland navigation (ADN)

no

nο

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

not applicable

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 15 / 16

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex I (REACH) The product is not subject to Annex I restrictions.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 40, 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the

following restrictions.

3

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers.

Observe employment restrictions for young people.

- VOC (2010/75/CE) 0 %

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

H225 Highly flammable liquid and vapour.

H410 Very toxic to aquatic life with long lasting effects. H400 Very toxic to aquatic life.

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

Ferdinand Bilstein GmbH + Co. KG

Date printed 03.04.2024, Revision 03.04.2024



Version 13.0. Supersedes version: 12.0 Page 16 / 16

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level

EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Acute Tox. 4: H332 Harmful if inhaled. (Calculation method)

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data)

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

Modified position 3.2