Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0 Page 1 / 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

screw locking

Article number: 26708, 26707

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Eye Irrit. 2: H319 Causes serious eye irritation. Skin Sens. 1: H317 May cause an allergic skin reaction. STOT SE 3: H335 May cause respiratory irritation.

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0 Page 2 / 15

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms

(!)

Signal word WARNING

Contains: Methacrylic acid, monoester with Propan-1,2-diole

2,2'-Ethylenedioxydiethyl dimethacrylate

Cumene hydroperoxide 2'-Phenylacetohydrazide

Hazard statements H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P261 Avoid breathing vapours / spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection. P302+P352 IF ON SKIN: Wash with plenty of water / soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER / doctor if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention. P337+P313 If eye irritation persists: Get medical advice / attention. P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards

Human health dangers Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

bfe00323

ebi

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024

Version 10.0. Supersedes version: 9.0

Page 3 / 15

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 -<50	Methacrylic acid, monoester with Propan-1,2-diole
	CAS: 27813-02-1, EINECS/ELINCS: 248-666-3, Reg-No.: 01-2119490226-37-XXXX
	GHS/CLP: Eye Irrit. 2: H319 - Skin Sens. 1: H317
5 - <20	2,2'-Ethylenedioxydiethyl dimethacrylate
	CAS: 109-16-0, EINECS/ELINCS: 203-652-6, Reg-No.: 01-2119969287-21-XXXX
	GHS/CLP: Skin Sens. 1: H317
<1,5	Cumene hydroperoxide
	CAS: 80-15-9, EINECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8
	GHS/CLP: Org. Perox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr. 1B: H314 - Aquatic Chronic 2: H411 - STOT SE 3: H335
	SCL [%]: 3 - <10: Eye Dam. 1: H318, 1 - <3: Eye Irrit. 2: H319, >= 10: Skin Corr. 1B: H314, 3 - <10: Skin Irrit. 2: H315, <10: STOT SE 3: H335
0,1 - <1	2'-Phenylacetohydrazide
	CAS: 114-83-0, EINECS/ELINCS: 204-055-3
	GHS/CLP: Acute Tox. 3: H301 - Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Eye Irrit. 2: H319 - STOT SE 3: H335
<0,05	1,4-Dihydroxybenzene
	CAS: 123-31-9, EINECS/ELINCS: 204-617-8, EU-INDEX: 604-005-00-4
	GHS/CLP: Carc. 2: H351 - Muta. 2: H341 - Acute Tox. 4: H302 - Eye Dam. 1: H318 - Skin Sens. 1: H317 - Aquatic Acute 1: H400, M-Factor (acute): 10

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0 Page 4 / 15

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Wear full protective suit.

Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective equipment.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth). Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Keep away from all sources of ignition - Refrain from smoking.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not use metal containers.

Do not store together with acids.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Protect from heat/overheating.

Keep in a cool place. Store in a dry place.

Recommended storage temperature: +5°C - +25°C

7.3 Specific end use(s)

This product is not recommended for use in joints which will be in contact with either pure oxygen or steam.

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0 Page 5 / 15

SECTION 8: Exposure controls / personal protection

Substance

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance

1,4-Dihydroxybenzene

CAS: 123-31-9, EINECS/ELINCS: 204-617-8, EU-INDEX: 604-005-00-4

Long-term exposure: 0,5 mg/m³

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance	
Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1	
Industrial, inhalative, Long-term - systemic effects, 14.7 mg/m³ (AF=18)	
Industrial, dermal, Long-term - systemic effects, 4.2 mg/kg bw/d (AF=72)	
general population, dermal, Long-term - systemic effects, 2.5 mg/kg bw/d (AF=120)	
general population, oral, Long-term - systemic effects, 2.5 mg/kg bw/d (AF=120)	
general population, inhalative, Long-term - systemic effects, 8.8 mg/m³ (AF=30)	
2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0	
Industrial, inhalative, Long-term - systemic effects, 48.5 mg/m³ (AF=18)	
Industrial, dermal, Long-term - systemic effects, 13.9 mg/kg bw/d (AF=72)	
general population, dermal, Long-term - systemic effects, 8.33 mg/kg bw/d (AF=120)	
general population, inhalative, Long-term - systemic effects, 14.5 mg/m³ (AF=69)	
general population, oral, Long-term - systemic effects, 8.33 mg/kg bw/d (AF=120)	

PNEC

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1	
freshwater, 0.904 mg/L (AF=50)	
seawater, 0.904 mg/L (AF=50)	
sewage treatment plants (STP), 10 mg/L (AF=10)	
sediment (freshwater), 6.28 mg/kg dw	
sediment (seawater), 6.28 mg/kg dw	
soil, 0.727 mg/kg dw	
2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0	
freshwater, 0.016 mg/L (AF=1000)	
seawater, 0.002 mg/L (AF=10 000)	
sewage treatment plants (STP), 1.7 mg/L (AF=10)	
sediment (freshwater), 0.185 mg/kg dw	
sediment (seawater), 0.018 mg/kg dw	
soil, 0.027 mg/kg dw	

Ferdinand Bilstein GmbH + Co. KG
Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0 Page 6 / 15

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information. In full contact:

0,7 mm Butyl rubber, >480 min (EN 374-1/-2/-3).

In splash contact:

0,45 mm Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Alkali-resistant protective clothing (EN 340)

Other Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

depending on concentration and quantity handled. The resistance of this equip chemicals should be ascertained with the respective supplier.

_ ...

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear

appropriate respiratory protection.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

ebi bilstein

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024

Version 10.0. Supersedes version: 9.0

Page 7 / 15

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateliquidFormpastyColorblue

Odor characteristic
Odour threshold not determined

pH-value 3-4

pH-value [1%] not applicable

Boiling point or initial boiling point

and boiling range [°C]

240

Flash point [°C] 96
Flammability yes

Lower explosion limitnot applicableUpper explosion limitnot applicable

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

Density [g/cm³] 1,0 - 1,1

Relative density not determined

Bulk density [kg/m³] not applicable

Solubility in water partially soluble

Solubility other solvents No information available.

Partition coefficient n-octanol/water

(log value)

not determined

Kinematic viscosity 1900 - 7500 mm²/s (40°C)

Relative vapour density not determined

Melting point [°C] not determined

Auto-ignition temperature [°C] > 400

Decomposition temperature [°C] not determined Particle characteristics not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents. Reactions with strong acids.

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0

Page 8 / 15

10.5 Incompatible materials

Oxidizing agent Strong acids. Various metals.

10.6 Hazardous decomposition products

Irritant gases/vapours.

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0 Page 9 / 15

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance

1,4-Dihydroxybenzene, CAS: 123-31-9

LD50, oral, Rat, 375 mg/kg

Cumene hydroperoxide, CAS: 80-15-9

LD50, oral, Rat, 382 mg/kg (IUCLID)

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

LD50, oral, Rat, > 2000 mg/kg (OECD 401)

2'-Phenylacetohydrazide, CAS: 114-83-0

ATE, oral, 100 mg/kg

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

LD50, oral, Rat, 2000 - 5000 mg/kg bw

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

1,4-Dihydroxybenzene, CAS: 123-31-9

LD50, dermal, Rabbit, 2000 mg/kg

Cumene hydroperoxide, CAS: 80-15-9

LDLo, dermal, Rat, 500 mg/kg (IUCLID)

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

LD50, dermal, Rabbit, > 5000 mg/kg

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

LD50, dermal, mouse, > 2000 mg/kg bw

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Cumene hydroperoxide, CAS: 80-15-9

LC50, inhalative, Rat, 220 ppm/4h (IUCLID)

LC50, inhalative, Rat, 1,37 mg/l/4h (GESTIS)

Serious eye damage/irritation

Based on the available information, the classification criteria are fulfilled.

Irritant

Calculation method

Substance

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

Eye, Rabbit, irritant

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Page 10 / 15 Version 10.0. Supersedes version: 9.0

Eye, Rabbit, OECD 405, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

dermal, Rabbit, non-irritating

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

dermal, Rabbit, In vivo study, non-irritating

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Based on the available information, the classification criteria are fulfilled.

Calculation method

Substance

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

dermal, mouse, Study, sensitising

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

dermal, Mouse (female), OECD 429, sensitising

Specific target organ toxicity single exposure

Based on the available information, the classification criteria are fulfilled.

May cause respiratory irritation.

Classification was carried out based on substance-specific concentration limits.

Specific target organ toxicity repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

NOAEL, oral, Rat, 300 mg/kg bw/day, OECD 422

NOAEC, inhalative, Rat, 100 ppm, OECD 413

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 422, no adverse effect observed

NOAEL, dermal, mouse, 2000 mg/kg bw/day, In vivo study, no adverse effect observed

NOAEC, inhalative, Rat, 100 ppm, OECD 413

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

in vitro, OECD 472, negativ

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

in vitro, OECD 471, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

NOAEL, oral, Rat, 1000 mg/kg, OECD 422

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 422, no adverse effect observed

- Development

Substance

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0 Page 11 / 15

NOAEL, oral, Rat, 1000 mg/kg, OECD 422

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

NOAEL, oral, Rat, 1000 mg/kg bw/day, OECD 414, no adverse effect observed

Carcinogenicity

Based on the available information, the classification criteria are not fulfilled.

Substance

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

LOAEC, inhalative, Rat, 1,03 mg/L air, OECD 451, no adverse effect observed

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

NOAEL, dermal, mouse, 1000 mg/kg bw/day, In vivo study, no adverse effect observed

Aspiration hazard

Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

11.2.2 Other information

none

SECTION 12: Ecological information

12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled.

Substance

1,4-Dihydroxybenzene, CAS: 123-31-9

LC50, (96h), fish, 638 µg/L

EC50, (48h), Invertebrates, 61 - 134 μg/L

EC50, (72h), Algae, 33 - 330 µg/L

Cumene hydroperoxide, CAS: 80-15-9

LC50, (96h), Oncorhynchus mykiss, 3,9 mg/l (IUCLID)

LC50, (48h), Leuciscus idus, 17 mg/l (IUCLID)

EC50, (24h), Daphnia magna, 7 mg/l (IUCLID)

EC10, Pseudomonas putida, 103 mg/l/18h (IUCLID)

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

LC50, (48h), Leuciscus idus, 493 mg/l (DIN 38412)

EC50, (48h), Daphnia magna, 143 mg/l (OECD 202)

EC50, (72h), Pseudokirchneriella subcapitata, 97,2 mg/l (OECD 201)

NOEC, (21d), Daphnia magna, 24,1 mg/l (OECD 202)

NOEC, (72h), Pseudokirchneriella subcapitata, 97,2 mg/l (OECD 201)

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

LC50, (96h), Brachidanio rerio, 16.4 mg/L

EC50, (72h), Pseudokirchneriella subcapitata, > 100 mg/L

EC50, (21d), Daphnia magna, 51.9 mg/L

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024

Version 10.0. Supersedes version: 9.0

Page 12 / 15

12.2 Persistence and degradability

Behaviour in environment

not determined

compartments

Behaviour in sewage plant not applicable Biological degradability not applicable

12.3 Bioaccumulative potential

Product has having no bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment.

The product is insoluble in water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the disposal contractor/authorities if necessary.

080409* Waste no. (recommended)

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Contaminated packing should be disposed of as product waste.

Waste no. (recommended) 150102 150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0 Page 13 / 15

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN)

NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

ADR/RID

IMDG

no

Inland navigation (ADN)

no

Marine transport in accordance with no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0 Page 14 / 15

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006

(REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131;

(EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- Annex I (REACH) The product is not subject to Annex I restrictions.

- Annex XIV (REACH) According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain

any substances ≥ 0.1% that are subject to authorisation.

- Annex XVII (REACH) According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1%

of substances with the following restrictions. 75

According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to

any restrictions.

TRANSPORT-REGULATIONS ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)

NATIONAL REGULATIONS (UK): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK

REACH; GB CLP.

- Observe employment restrictions

for people

Observe employment restrictions for young people.

- VOC (2010/75/CE) <40 %

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H400 Very toxic to aquatic life.

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H315 Causes skin irritation.

H301 Toxic if swallowed.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H242 Heating may cause a fire.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Ferdinand Bilstein GmbH + Co. KG

Date printed 09.04.2024, Revision 09.04.2024



Version 10.0. Supersedes version: 9.0 Page 15 / 15

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau

EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score LC50 = Lethal concentration, 50% LD50 = Median lethal dose LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Customs Tariff not determined

Classification procedure Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method) STOT SE 3: H335 May cause respiratory irritation. (Calculation method)

1.1, 2.1, 2.2, 2.3, 3.1, 3.2, 4.1, 4.2, 5.2, 5.3, 6.1, 7.1, 7.2, 8.2, 9.1, 10.1, 10.3, 10.5, 10.6, Modified position

11.1, 12.1, 12.2, 12.6, 13.1, 15.1, 16.1, 16.2, 16.3