

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 20.01.2022, Revision 20.01.2022

Version 11. Supersedes version: 10

Page 1 / 14

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**SWAG 30 91 2710 antifreeze**  
**Article number: 99 90 1381, 32 92 2274, 32 92 2272, 30 93 3830, 30 91 2710, 30 97 1381**  
**UFI: 2KT3-40Y8-T00H-C10X**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Anti-freezing agents

#### 1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

### 1.3 Details of the supplier of the safety data sheet

**Company** SWAG Autoteile GmbH  
Am Kiesberg 4-6  
42117 Wuppertal / GERMANY  
Phone +49 (0)202 26454-0  
Fax +49 (0)202 26454-5000  
Homepage [www.swag.de](http://www.swag.de)  
E-mail [info@swag.de](mailto:info@swag.de)

#### Address enquiries to

**Technical information** [info@swag.de](mailto:info@swag.de)  
**Safety Data Sheet** [info@swag.de](mailto:info@swag.de)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)  
**Company** +49 (0)202 26454-0

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Acute Tox. 4: H302 Harmful if swallowed.  
STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.  
Eye Irrit. 2: H319 Causes serious eye irritation.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 20.01.2022, Revision 20.01.2022

Version 11. Supersedes version: 10

Page 2 / 14

## 2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms



Signal word

WARNING

Contains:

Ethylene glycol

Hazard statements

H302 Harmful if swallowed.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P260 Do not breathe vapours.  
P270 Do not eat, drink or smoke when using this product.  
P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell.  
P314 Get medical advice / attention if you feel unwell.  
P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.  
P280 Wear eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice / attention.

## 2.3 Other hazards

Physico-chemical hazards

No particular hazards known.

Human health dangers

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Frequent persistent contact with the skin can cause skin irritation.

Other hazards

none

## SECTION 3: Composition / Information on ingredients

### 3.1 Substances

not applicable

### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
60 - < 100	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373
1 - < 2,5	potassium 2-ethylhexanoate
	CAS: 3164-85-0, EINECS/ELINCS: 221-625-7, Reg-No.: 01-2119980714-29-XXXX
	GHS/CLP: Repr. 2: H361d - Eye Dam. 1: H318 - Skin Irrit. 2: H315
0,1 - < 0,3	Methyl-1H-benzotriazole
	CAS: 29385-43-1, EINECS/ELINCS: 249-596-6, Reg-No.: 01-2119979081-35-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Aquatic Chronic 2: H411 - Repr. 2: H361d

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>General information</b>	Change soaked clothing.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
If swallowed or in the event of vomiting, risk of product entering the lungs.  
Forward this sheet to your doctor.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	foam, dry powder, water spray jet, carbon dioxide
<b>Extinguishing media that must not be used</b>	Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.  
Forms slippery surfaces with water.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).  
Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.

Take off contaminated clothing and wash before reuse.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 20.01.2022, Revision 20.01.2022

Version 11. Supersedes version: 10

Page 5 / 14

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

Substance
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Long-term exposure: 20 ppm, 52 mg/m <sup>3</sup> , Vapour, particulate: 10 mg/m <sup>3</sup>
Short-term exposure (15-minute): 40 ppm, 104 mg/m <sup>3</sup>

#### Ingredients with occupational exposure limits to be monitored (EU)

Substance / EC LIMIT VALUES
Ethylene glycol
CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
Eight hours: 20 ppm, 52 mg/m <sup>3</sup> , H
Short-term (15-minute): 40 ppm, 104 mg/m <sup>3</sup>

#### DNEL

Substance
Ethylene glycol, CAS: 107-21-1
Industrial, dermal, Long-term - systemic effects, 106 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - local effects, 35 mg/m <sup>3</sup>
general population, dermal, Long-term - systemic effects, 53 mg/m <sup>3</sup>
general population, inhalative, Long-term - local effects, 7 mg/m <sup>3</sup>
potassium 2-ethylhexanoate, CAS: 3164-85-0
Industrial, dermal, Long-term - systemic effects, 5,95 mg/kg bw/d
Industrial, inhalative, Long-term - systemic effects, 32 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 2,5 mg/kg bw/d
general population, dermal, Long-term - systemic effects, 2,98 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 8 mg/m <sup>3</sup>
Methyl-1H-benzotriazole, CAS: 29385-43-1
Industrial, dermal, Long-term - systemic effects, 0,5 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 8,8 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day
general population, dermal, Long-term - systemic effects, 0,25 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 4,4 mg/m <sup>3</sup>

#### PNEC

Substance
Ethylene glycol, CAS: 107-21-1
sewage treatment plants (STP), 199,5 mg/l (AF=10)
soil, 1,53 mg/kg
sediment (freshwater), 37 mg/kg
seawater, 1 mg/L
freshwater, 10 mg/L
sediment (seawater), 3,7 mg/kg
potassium 2-ethylhexanoate, CAS: 3164-85-0
sediment (freshwater), 6.37 mg/kg

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 20.01.2022, Revision 20.01.2022

Version 11. Supersedes version: 10

Page 6 / 14

freshwater, 360 µg/L
sewage treatment plants (STP), 71.7 mg/L
sediment (seawater), 637 µg/kg
soil, 1.06 mg/kg
seawater, 36 µg/L
Methyl-1H-benzotriazole, CAS: 29385-43-1
terrestrial, 0,002 mg/kg
freshwater, 0,008 mg/L
seawater, 0,008 mg/L
sewage treatment plants (STP), 39,4 mg/L
sediment (freshwater), 0,003 mg/kg
sediment (seawater), 0,003 mg/kg

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Light protective clothing.
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale vapours.
<b>Respiratory protection</b>	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 20.01.2022, Revision 20.01.2022

Version 11. Supersedes version: 10

Page 7 / 14

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	red
Odor	characteristic
Odour threshold	No information available.
pH-value	7,5 - 8,5 (50%)
pH-value [1%]	No information available.
Boiling point [°C]	120
Flash point [°C]	> 110 (DIN 51758)
Flammability (solid, gas) [°C]	> 400 (DIN 51794)
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	<0,01 (20°C)
Density [g/cm <sup>3</sup> ]	1,123 (DIN 51757)
Relative density	not determined
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	miscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

### 10.4 Conditions to avoid

Strong heating.



**SWAG Autoteile GmbH**  
**42117 Wuppertal**

Date printed 20.01.2022, Revision 20.01.2022

Version 11. Supersedes version: 10

Page 8 / 14

### **10.5 Incompatible materials**

Oxidizing agent  
Acids  
Strong basic compounds

### **10.6 Hazardous decomposition products**

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product
ATE-mix, oral, 541,0 mg/kg bw
Substance
Ethylene glycol, CAS: 107-21-1
LD50, oral, Rat, 7712 mg/kg bw
ATE, oral, 500 mg/kg (Acute Tox. 4)
potassium 2-ethylhexanoate, CAS: 3164-85-0
LD50, oral, Rat, 2043 mg/kg bw
Methyl-1H-benzotriazole, CAS: 29385-43-1
LD50, oral, Rat, 720 mg/kg

#### Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
Ethylene glycol, CAS: 107-21-1
LD50, dermal, mouse, >3500 mg/kg bw
potassium 2-ethylhexanoate, CAS: 3164-85-0
LD50, dermal, Rabbit, 2000 mg/kg bw
Methyl-1H-benzotriazole, CAS: 29385-43-1
LD50, dermal, Rat, > 2000 mg/kg (OECD 402)

#### Acute inhalational toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
Ethylene glycol, CAS: 107-21-1
LC50, inhalative, Rat, >2.5 mg/L air, 6h
potassium 2-ethylhexanoate, CAS: 3164-85-0
LC50, inhalative, Rat, 110 mg/m <sup>3</sup> (8 h)

#### Serious eye damage/irritation

Toxicological data of complete product are not available.  
Risk of serious damage to eyes.  
Calculation method

Substance
Ethylene glycol, CAS: 107-21-1
Eye, non-irritating
potassium 2-ethylhexanoate, CAS: 3164-85-0
Eye, in vitro / ex vivo, OECD 437, corrosive

#### Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
-----------



SWAG Autoteile GmbH  
 42117 Wuppertal

Date printed 20.01.2022, Revision 20.01.2022

Version 11. Supersedes version: 10 Page 10 / 14

Ethylene glycol, CAS: 107-21-1
dermal, non-irritating
potassium 2-ethylhexanoate, CAS: 3164-85-0
Rabbit, in vivo, OECD 404, irritant

**Respiratory or skin sensitisation** Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
dermal, non-sensitizing

**Specific target organ toxicity — single exposure** Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — repeated exposure** Toxicological data of complete product are not available.  
 May cause damage to organs through prolonged or repeated exposure.  
 Calculation method

Substance
Ethylene glycol, CAS: 107-21-1
NOAEL, dermal, Dog, 2200 mg/kg bw/day, adverse effect observed
NOEL, oral, Rat, 150 mg/kg bw/day, OECD 408, adverse effect observed

**Mutagenicity** Based on the available information, the classification criteria are not fulfilled.

Substance
Ethylene glycol, CAS: 107-21-1
in vitro, no adverse effect observed

**Reproduction toxicity** Toxicological data of complete product are not available.  
 Suspected of damaging the unborn child.  
 Calculation method

Substance
potassium 2-ethylhexanoate, CAS: 3164-85-0
NOAEL, Rat, 300 mg/kg bw/day (P0)

**Carcinogenicity** Based on the available information, the classification criteria are not fulfilled.

**Aspiration hazard** Based on the available information, the classification criteria are not fulfilled.

**General remarks**

Toxicological data of complete product are not available.  
 The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

**11.2 Information on other hazards**

**Endocrine disrupting properties** No information available.

**Other information** none

## SECTION 12: Ecological information

### 12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Ethylene glycol, CAS: 107-21-1
LC50, (28d), fish, 1,5 g/L
LC50, (3d), fish, 72.86 g/L
EC50, (4d), Invertebrates, 3,536 - 13 g/L
EC50, (21d), Invertebrates, 33,911 g/L
EC50, (48h), Invertebrates, 100 mg/L
potassium 2-ethylhexanoate, CAS: 3164-85-0
LC50, (96h), fish, 100 mg/L
EC50, (6d), Algae, 49.3 mg/L
EC50, (48h), Crustacea, 85.4 mg/L
Methyl-1H-benzotriazole, CAS: 29385-43-1
EC50, (21d), Daphnia magna, > 37,6 mg/L mg/L (OECD 202)
EC50, (48h), Daphnia sp., 15,8 mg/L (OECD 202)

### 12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant not determined

Biological degradability not determined

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

Dispose of as hazardous waste.  
Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 160114\*

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\* packaging containing residues of or contaminated by hazardous substances  
150102  
150104

## SECTION 14: Transport information

### 14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 20.01.2022, Revision 20.01.2022

Version 11. Supersedes version: 10 Page 13 / 14

#### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

TRANSPORT-REGULATIONS ADR (2021); IMDG-Code (2021, 40. Amdt.); IATA-DGR (2021)

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- VOC (2010/75/CE) 0 %

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### 16.1 Hazard statements (SECTION 3)

H411 Toxic to aquatic life with long lasting effects.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.  
H302 Harmful if swallowed.

SWAG Autoteile GmbH  
42117 Wuppertal

Date printed 20.01.2022, Revision 20.01.2022

Version 11. Supersedes version: 10 Page 14 / 14

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV@TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

### Classification procedure

Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)  
STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. (Calculation method)  
Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

### Modified position

SECTION 3 been added: Methyl-1H-benzotriazole