



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

grease
Article number: 99 90 3630

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company SWAG Autoteile GmbH
Am Kiesberg 4-6
42117 Wuppertal / GERMANY
Phone +49 (0)202 26454-0
Fax +49 (0)202 26454-5000
Homepage www.swag.de
E-mail info@swag.de

Address enquiries to

Technical information info@swag.de

Safety Data Sheet info@swag.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.

Contains: 5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione. EUH208 May produce an allergic reaction.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Environmental hazards Does not contain any PBT or vPvB substances.
Contains no ingredients with endocrine-disrupting properties.

Other hazards none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



3.2 Mixtures

The product is a mixture.

Range [%]	Substance
1 - < 5	Dilithium azelate
	CAS: 38900-29-7, EINECS/ELINCS: 254-184-4, Reg-No.: 01-2120119814-57-XXXX
	GHS/CLP: Acute Tox. 4: H302
0,1 - < 1	5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione
	CAS: 72676-55-2, EINECS/ELINCS: 276-763-0, Reg-No.: 01-2120119820-64-XXXX
	GHS/CLP: Skin Sens. 1B: H317 - Aquatic Chronic 2: H411
0,1 - < 1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene
	CAS: 68411-46-1, EINECS/ELINCS: 270-128-1, Reg-No.: 01-2119491299-23-XXXX
	GHS/CLP: Repr. 2: H361f - Aquatic Chronic 3: H412

Comment on component parts

For full text of H-statements: see SECTION 16.
All chemical substances in this material are included on or exempted from listing on the IECSC Inventory.
Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	Change soaked clothing.
Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Seek medical advice immediately. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide
Extinguishing media that must not be used	Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Nitrogen oxides (NOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Forms slippery surfaces with water.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures necessary if used correctly.

Do not eat, drink or smoke when using this product.
Use barrier skin cream.
Wash face and/or hands before break and end of work.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with food and animal food/diet.
Do not store together with oxidizing agents.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

not relevant

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Dilithium azelate, CAS: 38900-29-7
Industrial, dermal, Acute - local effects, 46 µg/cm ²
general population, dermal, Acute - systemic effects, 23 µg/cm ²
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
Industrial, inhalative, Long-term - systemic effects, 3.29 mg/m ³ (AF=75)
Industrial, dermal, Long-term - systemic effects, 0.93 mg/kg bw/d (AF=300)
general population, dermal, Long-term - systemic effects, 0.33 mg/kg bw/d (AF=600)
general population, inhalative, Long-term - systemic effects, 0.56 mg/m ³ (AF=150)
general population, oral, Long-term - systemic effects, 0.17 mg/kg bw/d (AF=600)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
Industrial, inhalative, Long-term - systemic effects, 0,31 mg/m ³
Industrial, dermal, Long-term - systemic effects, 0,44 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 0,08 mg/m ³
general population, dermal, Long-term - systemic effects, 0,22 mg/kg bw/day
general population, oral, Long-term - systemic effects, 0,05 mg/kg bw/day

PNEC

Substance
Dilithium azelate, CAS: 38900-29-7
freshwater, 23 µg/L
seawater, 2,3 µg/L
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
freshwater, 0.003 mg/L (AF=1000)
seawater, 0 mg/L (AF=10 000)
sewage treatment plants (STP), 0.31 mg/L (AF=10)
sediment (freshwater), 0.039 mg/kg dw
sediment (seawater), 0.004 mg/kg dw
soil, 0.166 mg/kg soil dw
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
freshwater, 0,034 mg/L
seawater, 0,003 mg/L
sewage treatment plants (STP), 10 mg/L
sediment (freshwater), 0,446 mg/kg sediment dw
sediment (seawater), 0,045 mg/kg sediment dw
soil, 17,6 mg/kg soil dw
oral (food), 0,833 mg/kg food



8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	If there is a risk of splashing: safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm; Neoprene, >480 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	pasty
Color	black
Odor	characteristic
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	not applicable
Flammability	no
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	0,94 (DIN 51757) (25°C / 77,0°F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	NGLI 1
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.



9.2 Other information

Drop point: 220°C - 300°C

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.

10.5 Incompatible materials

Oxidizing agent
Strong bases.
Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
ATE-mix, oral, 59 363 mg/kg bw
Substance
Dilithium azelate, CAS: 38900-29-7
LD50, oral, Rat, 300 mg/kg bw
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
LD50, oral, Rat, > 2000 mg/kg
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
LC50, oral, Rat, > 5000 mg/kg, OECD 401

Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
Dilithium azelate, CAS: 38900-29-7
LD50, dermal, Rat, > 2000 mg/kg bw
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
LD50, dermal, Rabbit, > 2000 mg/kg
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
LD50, dermal, Rat, > 2000 mg/kg, OECD 402

Acute inhalational toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Dilithium azelate, CAS: 38900-29-7
Rabbit, OECD 406, non-irritating
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
Eye, non-irritating
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
Eye, OECD 405, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Dilithium azelate, CAS: 38900-29-7
dermal, non-irritating
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
dermal, non-irritating
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
dermal, non-irritating



Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance
Dilithium azelate, CAS: 38900-29-7
dermal, mouse, OECD 429, non-sensitizing
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
dermal, sensitising
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
dermal, Guinea pig, OECD 406, non-sensitizing

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure Based on the available information, the classification criteria are not fulfilled.

Substance
Dilithium azelate, CAS: 38900-29-7
NOAEL, dermal, Rat, 298 mg/kg bw/day (systemic effects), no adverse effect observed
NOAEL, dermal, Rat, 230 µg/cm ² (local effects), adverse effect observed
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
NOAEL, oral, Rat, 300 mg/kg bw/day

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Dilithium azelate, CAS: 38900-29-7
OECD 471, no adverse effect observed
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
in vitro, positive
in vivo, negativ
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
in vitro, negativ

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance
Dilithium azelate, CAS: 38900-29-7
NOAEL, Rat, 298,5 mg/kg bw/d (Effect on fertility), no adverse effect observed
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
NOAEL, oral, Rat, 300 mg/kg bw/d (Effect on fertility)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
NOAEL, oral, Rat, 54 mg/kg bw/day, adverse effect observed

- Development

Substance
Dilithium azelate, CAS: 38900-29-7
NOAEL, Rat, 298,5 mg/kg bw/d (Effect on developmental toxicity, no adverse effect observed)

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks Frequent persistent contact with the skin can cause dermatitis.



Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties	Contains no ingredients with endocrine-disrupting properties.
11.2.2 Other information	none

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Dilithium azelate, CAS: 38900-29-7
LC50, (96h), fish, 100 mg/L
EC50, (48h), Crustacea, 100 mg/L
EC50, (72h), Algae, 100 mg/L
5,5'-Dithiodi-1,3,4-thiadiazole-2(3H)-thione, CAS: 72676-55-2
LC50, (96h), Pimephales promelas, > 454 mg/L
EC50, (48h), Daphnia magna, 3 mg/L
EC50, (72h), Pseudokirchneriella subcapitata, 20 mg/L
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, CAS: 68411-46-1
LC50, (96h), fish, > 100 mg/kg (OECD 203)
EC50, (72h), Algae, > 100 mg/kg (OECD 201)
EC50, (48h), Daphnia magna, 51 mg/kg (OECD 202)

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.



12.7 Other adverse effects

Ecotoxicological data are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

In according to RoHS!

Coordinate disposal with the authorities if necessary.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

120112* spent waxes and fats

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150110* packaging containing residues of or contaminated by hazardous substances
150102
150104

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex I (REACH)	The product is not subject to Annex I restrictions.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains \geq 0.1% of substances with the following restrictions. 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.
TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)
NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	no
- VOC (2010/75/CE)	not relevant

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H412 Harmful to aquatic life with long lasting effects.
H361f Suspected of damaging fertility.
H411 Toxic to aquatic life with long lasting effects.
H317 May cause an allergic skin reaction.
H302 Harmful if swallowed.



16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 ATE = acute toxicity estimate
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 EL50 = Median effective loading
 ELINCS = European List of Notified Chemical Substances
 EmS = Emergency Schedules
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 IVIS = In vitro irritation score
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 LC0 = lethal concentration, 0%
 LOAEL = lowest-observed-adverse-effect level
 LL50 = Median lethal loading
 LQ = Limited Quantities
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 NOAEL = No Observed Adverse Effect Level
 NOEC = No Observed Effect Concentration
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 STP = Sewage Treatment Plant
 TLV@TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

1.3, 3.2, 4.2, 8.1, 9.1, 10.5, 11.1, 15.1, 16.2, 16.3